

小鼠抗 IDE 单克隆抗体

中文名称:小鼠抗 IDE 单克隆抗体

英文名称: Anti-IDE mouse monoclonal antibody

别 名: insulin degrading enzyme; INSULYSIN

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Mouse

抗 原: IDE

反应种属: Human, Rat, Monkey

标记物: Unconjugate

克隆类型: mouse monoclonal

技术规格

Background:

This gene encodes a zinc metallopeptidase that degrades intracellular insulin, and thereby terminates insulins activit y, as well as participating in intercellular peptide signallin g by degrading diverse peptides such as glucagon, amylin , bradykinin, and kallidin. The preferential affinity of this e nzyme for insulin results in insulin-mediated inhibition of the degradation of other peptides such as beta-amyloid. Deficiencies in this protein's function are associated with Alzheimer's disease and type 2 diabetes mellitus but mut ations in this gene have not been shown to be causitive for these diseases. This protein localizes primarily to the c ytoplasm but in some cell types localizes to the extracellu lar space, cell membrane, peroxisome, and mitochondrion. Alternative splicing results in multiple transcript variants e



全国订货电话 4008-723-722

	ncoding distinct isoforms. Additional transcript variants have been described but have not been experimentally verified.
Applications:	WB
Name of antibody:	IDE
Immunogen:	Fusion protein of human IDE
Full name:	insulin degrading enzyme
Synonyms:	INSULYSIN
SwissProt:	P14735
WB Predicted band size:	118 KD
WB Positive control:	SVT2, A549, Hela, COS7 cell lysates
WB Recommended dilution:	200-1000