

兔抗 CKAP4 多克隆抗体

中文名称: 兔抗 CKAP4 多克隆抗体

英文名称: Anti-CKAP4 rabbit polyclonal antibody

别 名: p63; CLIMP-63; ERGIC-63

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: CKAP4

反应种属: Human, Mouse

标 记 物: Unconjugate


克隆类型: rabbit polyclonal

技术规格

Background:	CKAP4 (cytoskeleton-associated protein 4), also known as p63, CLIMP-63 or ERGIC-63, is a 602 amino acid single-p ass type II transmembrane protein that links the endoplas mic reticulum (ER) to the cytoskeleton. Considered a nove I protein in maintaining ER morphology, CKAP4 anchors the ER to microtubles which is required for maintaining ER spatial distribution during interphase of the cell cycle. CK AP4 can be reversibly palmitoylated and phosphorylated and is a major substrate of the palmitoyl acyltransferase, Z DHHC2.
Applications:	ELISA, WB, IHC
Name of antibody:	CKAP4
Immunogen:	Synthetic peptide of human CKAP4



Full name:	cytoskeleton-associated protein 4
Synonyms:	p63; CLIMP-63; ERGIC-63
SwissProt:	Q07065
ELISA Recommended dilution:	2000-10000
IHC positive control:	Human lung cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	66 kDa
WB Positive control:	293T, hepG2 and A549 cells
WB Recommended dilution:	1000-5000



■ reagent.com

