

兔抗 RTN4 多克隆抗体

中文名称：兔抗 RTN4 多克隆抗体

英文名称：Anti-RTN4 rabbit polyclonal antibody

别名：ASY, NSP, NOGO, NOGOC, RTN-X, NOGO-A, NSP-CL, Nogo-B, Nogo-C, RTN4-A, RTN4-C, RTN4-B1, RTN4-B2, NI220/250, Nbla00271, Nbla10545

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：RTN4

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

This gene belongs to the family of reticulon encoding genes. Reticulons are associated with the endoplasmic reticulum, and are involved in neuroendocrine secretion or in membrane trafficking in neuroendocrine cells. The product of this gene is a potent neurite o

| | |
|------------------------------------|---|
| | <p>utgrowth inhibitor which may also help block the regeneration of the central nervous system in higher vertebrates. Alternatively spliced transcript variants derived both from differential splicing and differential promoter usage and encoding different isoforms have been identified.</p> |
| Applications: | ELISA, IHC |
| Name of antibody: | RTN4 |
| Immunogen: | Synthetic peptide of human RTN4 |
| Full name: | Reticulon 4 |
| Synonyms : | <p>ASY, NSP, NOGO, NOGOC, RTN-X, NOGO-A, NSP-CL, Nogo-B, Nogo-C, RTN4-A, RTN4-C, RTN4-B1, RTN4-B2, NI220/250, Nbla00271, Nbla10545</p> |
| SwissProt: | Q9NQC3 |
| ELISA Recommended dilution: | 2000-10000 |
| IHC positive control: | Human esophagus cancer |
| IHC Recommend dilution: | 50-200 |

